

DESCRIPTION

DL-6CHZ-36 [Tea Dehydrator Equipment](#) has 2 tray racks, each rack has 18 layers, total has 36pcs trays, drying area 34m², heating by electric heating wire, total power 36kw, maximum temperature can be 180°C.

Because the electric heating dryer is not affected by the external environment, season, climate, etc., and can work for several hours continuously, and can well guarantee the quality, color, appearance, fragrance of materials, and can meet the drying requirements of a variety of different materials, in addition to the drying effect of tea Drying operation, it can also be applied to seafood, meat, fruits and vegetables, seeds, herbs and grains .etc Due to the unique air duct and rotary drying design, our machines are 30% more efficient than other companies' dryer!

ADVANTAGE

1. Rotary drying design, the tea leaves are heated evenly and drying more quickly;
2. More than 50% of the whole machine adopts modular design, shorter production time for batch orders, and easier replacement of parts;
3. The patented air duct design allows the bottom of each sieve tray to enter the air, which quickly removes the moisture in the tea and improves the drying efficiency;
4. Double-door type tea drying machine, the first in the industry to adopt the container door buckle structure, which is more convenient to open and close the door, durable, and better sealed.

APPLICATION

[Tea Dehydrator Equipment](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Temperature	Working Time
Black Tea	80-120°C	20-60 Minutes
Green Tea	80-120°C	20-60 Minutes
White Tea	80-120°C	20-60 Minutes
Oolong Tea	80-120°C	20-60 Minutes
Herbal Tea	80-120°C	20-60 Minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

[Tea Drying Dehydrator](#) specification list:

Model		DL-6CHZ-34
Dimension		2600×1800×2900mm
Voltage		380/50 V/Hz
Heating element		Electric heating wire
Total heating power		36 KW
Heating element group		6 Group
Fan motor	Power	3 KW
	Speed	1400 rpm
	Rated voltage	380 V
Pallet rotary motor	Power	80 W
	Speed	1250 rpm
	Rated voltage	220 V
Pallet rotary speed		6 rpm
Pallet type		Round
Drying pallet diameter		110 cm
Effective drying area		34 m ²
Number of drying pallet		36 pcs
Capacity per batch		100-170 kg/time

Specification of all of [Orthodox Tea Dryer Machine](#).

Model	6CHZ-2	6CHZ-5	6CHZ-9	6CHZ-14	6CHZ-34
Trays Quantity	10 pcs	14 pcs	16 pcs	16 pcs	36 pcs
Trays Diameter	50 cm	70 cm	90 cm	110 cm	110 cm
Drying Area	2 m ²	5 m ²	9 m ²	14 m ²	34 m ²
Capacity	6-8 kg	15-20 kg	27-36 kg	42-56 kg	102-170 kg

If you have special need, it can be customized according to the needs of customers.

PHOTOS

Assistant
...Delix Tea Machine

1
115
力. 115
115

Rotary Tea Dryer DL-6CHZ-34

Voltage : 380V 50HZ
Heating Power : 36 kw
Tray Layers : 36 Layers
Tray Diameter : 110 cm
For All Kind Tea

100 kg Per Batch
Drying Area : 34m²
Stainless Steel Trays



L:293cm W:130cm H:256cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767











CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓