

TEA WITHERING MACHINE

DL-6CWD-803

USER'S GUIDE



Note:

In order to reduce the degree of injury, please be sure to read and understand this instruction manual carefully before using this machine.

Please follow the instructions in this manual.

The manufacturer reserves the right to change specifications without notice.

Dear Customer:

Thank you for choosing the "Deli Assistant" brand tea machinery equipment, our products will become a good helper for your tea.

Before using this product, please read the "Instruction Manual" carefully to understand the structure and performance of the machine, master the use, maintenance, maintenance and troubleshooting methods to ensure that you can complete the task efficiently.


Caveat! Rules and other safety regulations and rules to prevent accidents must be observed at all times. The manufacturer is not responsible for the loss of machine reliability, machine damage or personal injury caused by the product mentioned in the instructions for use of the machine.

- Please read the "Instructions for Use" carefully.

Attention warning sign



- Be sure to be firmly grounded



Contents

| | |
|---|---|
| TEA WITHERING MACHINE | 1 |
| USER'S GUIDE | 1 |
| 1.The Application and feature of product | 4 |
| 2.Parameter | 4 |
| 3.Installation Notes | 5 |
| 4.Instructions | 5 |
| 2. Set time and temperature; | 6 |
| 5.Maintenance | 6 |
| Quanzhou Deli Agroforestril Machinery Co.,Ltd | 6 |

1.The Application and feature of product

1.1 Application

It is used for tea wither and dehydration.

1.2 Feature

- 1.The utility model adopts a super-power fan to professionally design the air supply duct to ensure that the tea is withered during the withering process.
- 2.Electronic temperature control and precise temperature control;

2.Parameter

| | |
|---------------------|-------------------|
| Model | DL-6CWD-580 |
| Dimensions(L*W*H) | 1000×1050×5800 mm |
| voltage / frequency | 380/50 V/Hz |
| Heating element | Heating wire |

| | |
|-----------------------|-----------------|
| Total heating power | 15 KW |
| Heating element group | 3 Group |
| Fan power | 250 W |
| Motor speed | 2200 r/min |
| Rated voltage | 220 V |
| Disk size | 980×5000×200 mm |
| Output | 200 Kg/times |

3.Installation Notes

- 1.Inviting experienced personnel to install and debug;
- 2.Choosing the correct installation location: a dry and ventilated environment indoors, where the ground is flat;
- 3.Connect the power cord to the AC380V/50HZ power supply;

4.Instructions

4.1 Function

1. Turn on the power and turn it on.
2. On the temperature control system, set the temperature and wither time.
3. The temperature set by the temperature limiter is higher than the temperature set by the system by 30 degrees.

4.2 Usage

1. Pour the tea into the hopper of the withering machine and level it off;

2. Set time and temperature;
3. Press the start button to start withering;
4. Keep the position of the air inlet at the time of use, and keep it free from foreign matter.
5. When using the product, be sure to turn off the main power.

5.Maintenance

1. Keep the whole machine clean and tidy. Do not pile up debris, heavy objects, etc. on the machine;
2. After each operation is completed, please clean the inside of the machine;
3. After the machine is finished, please turn off the power and put on the dust cloth;
4. Underage children and post-drinking personnel and sick people are strictly prohibited from approaching the working machine or directly operating the machine to avoid accidents.

Quanzhou Deli Agroforestrial Machinery Co.,Ltd

Address: 12# Dongxing Road, Chengxiang Town, Anxi County, Quanzhou City,
Fujian Province, China

WhatsApp / WeChat/Phone: +86 18120033767



泉州得力农林机械有限公司
Quanzhou Deli Agroforestrial Machinery Co.,Ltd.

Email: info@delijx.com

Zip code: 362400

Website: www.delijx.com