

DESCRIPTION

The [Tea Twisting Machine](#) is mainly used for the twisting work of tea leaves. The function of the twisting machine is different for different tea leaves.

Screw rod oblique opening design, the cover of the barrel will automatically rotate when it rises to the top, improving efficiency, the unique design of rolling disc and rolling bar inclination angle, the speed is increased by 30% compared with other companies.


The unique design of the cover of the small and middle rolling machine can be rotated to improve the rate of strip-type tea.

ADVANTAGE

1. The disc, the tooth bar, the barrel and the lid are made of stainless steel;
2. Single-arm pressure lifting, easy to use and compact;
3. The professional design of the shovel and the bucket angle makes the forming speed of the tea faster;
4. The height design of the purlins is formed by a one-time mold, so that the height and angle of the strips are uniform, so that the tea strips are more compact and beautiful.

EXPLODED VIEW

持力. 1052202



Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

①	Transverse arm	⑧	Support column
②	Barrel cover	⑨	Rolling disc
③	Stainless steel Drum	⑩	Handwheel
④	Crank	□	Support frame
⑤	Transmission case	□	Tea discharge handle
⑥	Transmission belt	□	Tea outlet
⑦	Drive motor	□	Support leg

APPLICATION

[Tea Twisting Processing Machine](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Black Tea	30-90 minutes
Green Tea	4-6 minutes
Oolong Tea	4-6 minutes
Herbal Tea	4-6 minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION

[Tea Twisting Processing Machine](#) specification list:

Model	DL-6CRT-50	
Dimension	1020*1100*1300 mm	
Input voltage	380V / 50Hz	
Tea disc diameter	1000 mm	
Barrel diameter	500 mm	
Barrel height	280 mm	
Matching motor	Power	2.2 kW
	Speed	1400 RPM
	Rated voltage	380 V
Barrel speed	60 RPM	
Weight	280 Kg	
Max capacity per batch	20 kg/batch	
Capacity for green tea	20-200 kg/h	
Capacity for black tea	20-40 kg/h	

Specification of all of [Tea Twisting Processing Machine](#).

Model	Barrel Diameter	Barrel Height	Capacity
6CRT-25	25 cm	18 cm	3 kg/batch
6CRT-30	30 cm	21 cm	5 kg/batch
6CRT-35	35 cm	26 cm	8 kg/batch
6CRT-40	40 cm	25 cm	11 kg/batch
6CRT-45	45 cm	28 cm	15 kg/batch
6CRT-50	50 cm	28 cm	20 kg/batch
6CRT-55	55 cm	40 cm	35 kg/batch
6CRT-65	65 cm	48 cm	60 kg/batch

If you have special need, it can be customized according to the needs of customers.

DETAILS



The distance between the rolling barrel and the rolling disc of each machine is different to ensure that each machine can make the best quality tea.



The supporting part of the machine is made of cast iron, which is strong and durable.



The heightened design of the rolling barrel can prevent the tea leaves from falling.



The bottom discharge handle design, gently push the handle, the tea can fall easily.

PHOTOS

Assistant
...Deli Tea Machine

力. 10520033767

Tea Rolling Machine DL-6CRT-50

Voltage: 220V 380V

Power: 2.2 kw

Barrel Diameter: 50 cm

Barrel Height: 28 cm

For All Kind Tea

20 kg Per Batch

40-200 kg per hour

Stainless Steel Type



L:102cm W:110cm H:130cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

 **Assistant**
_Delix Tea Machine



DELIJX.COM

 Assistant
Deli Machine



DELIJX.COM



CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓