

For the tea equipment recommended on this page, the water content of fresh tea leaf is 75% and that of dry tea is 5%.

According to our local tea production data, 4kg wet tea leaf produces 1kg dry tea.

	Mositure Content (%)	Total Weight (kg)
Orginal	≈ 75%	≈ 100kg
After Withering	≈ 73%	≈ 95kg
After Shaking / Tossing	≈ 60%	≈ 65kg
After Fixing	≈ 45%	≈ 45kg
After Rolling	≈ 45%	≤ 45kg
After Drying	≤ 5%	≤ 26kg

The above data are from our local tea production data, and there may be deviations in tea production in different regions.

1. Withering

Oolong tea withering step is sunning withering, put the tea leaves under the sun about 30-60 minutes, the best time to choose is 4:00pm - 5:00pm, flip the tea leaf every 10 minutes, make the water content drop to about 78%, the aroma of tea began to show.

We recommend use 2 sets DL-TQJ-20 tea withering rack, capacity 50kg per batch, for 100kg tea leaf need 2 sets, put tea leaves on the bamboo pallets and put under the sun.

Assistant
DL-TQJ-20

Handwritten Chinese text: 1. 晒茶架

Tea Wither Rack
DL-TQJ-20

Layers: 20 Layers
Diameter: 118 cm
Materials: Bamboo
For All Kinds Tea

Capacity 2.5 kg per tray
Capacity 50 kg per rack
Natural Bamboo Products **L:125cm W:125cm H:240cm**

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

With 20pcs Bamboo Pallets Tea Natural Wither Rack DL-TQJ-20

Recommended Working Data	
Temp	Room Temperature
Time	30-60 minutes
Capacity	2.5 kg per tray

The moisture content after withering step will drop to 73%, total weight of tea leaf about 95kg.

2. Shaking / Tossing

Shaking and withering are both parts of the fermentation. During the withering process of oolong tea, because the leaves are calmly placed, a lot of water will only evaporate from the leaves, and the water in the leaf stalks is not lost, which will lead to the bitterness of the tea leaves is very strong, which seriously affects the quality of oolong tea. It is necessary to shake. Through the shaking process, the activity of the leaves is enhanced. The water in the leaf stalks continues to be transported to the leaves, allowing the leaves to re-evaporate the water, Distribute the grassy smell of tea leaves, so that the taste of the finished oolong tea will not very bitter, greatly improving the quality of oolong tea.

We recommend use 1 set DL-6CYQT-60 oolong tea shaking drum, capacity 32kg per batch, for 95kg tea leaf need 1 set.

After shaking, oolong tea needs to be placed on the withering racks in the first step (each rest time should be put tea on the bamboo pallets).

Oolong tea should be green with red edges after shaking, which means that the inside of the leaf is still green, but the edge of the leaf is red.

Assistant *力. 自然好*

**Oolong Tea Drum
DL-6CYQT-6015**



**32 kg per batch
All Bamboo Drum
For Oolong Tea Shaking** **Drum Size : D60 X L150**

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

Oolong Tea Processing Shaking Bamboo Drum Machine DL-6CYQT-6015

Recommended Working Data	
Temperature	≈20°C
Ambient Humidity	≈50%
First Shaking Rest Time	3-4 minutes
Second Shaking Time	1.5-2 Hours
Second Shaking Rest Time	5-10 minutes
Third Shaking Time	2-2.5 Hours
Third Shaking Rest Time	20-25 Minutes
Shaking Speed	6-12 Hours
Capacity	32 kg/batch

The moisture content after shaking step will drop to 60%, total weight of tea leaf about 65kg.

3. Fixing

The step of fixation is mainly used for the production of various unfermented or semi-fermented teas. The activity of the enzyme in the fresh leaves is reduced by high temperature, the tea polyphenols in the fresh leaves are stopped for oxidative fermentation, and the odor of the grass is removed, the aroma of the tea leaves is excited, and the moisture in the fresh leaves is evaporated. The fresh leaves become softer, which is conducive to the subsequent rolling process, and the tea leaves are not easily damaged.

We recommend use 1 set DL-6CST-50B tea fixation machine, capacity 25kg per hour, for 65kg tea leaf need 1 set, working time about 2.5 hours.

Assistant *Handwritten Chinese characters: 得力. 自然好帮手*

Tea Fixation Machine DL-6CST-50

Voltage : 220V 50HZ
Power : 0.75 KW
Drum Diameter : 500 mm
Drum Length : 650 mm
For Green/Oolong/Yellow Tea

Gas Heating
Capacity 25 kg/h
2.5mm Steel Board

L:115cm W:82cm H:130cm

Website: delijx.com Email: Chois@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767



50cm Diameter Gas Heating Green/Oolong/Yellow Tea Fixation Machine DL-6CST-50

Recommended Working Data	
Temperature	250°C - 320°C
Time	5-7 Minutes
Rotate Speed	30 rpm
Capacity	2.5 kg per batch

The moisture content after withering step will drop to 45%, total weight of tea leaf about 45kg.

4. Rolling

Different tea leaves have different rolling time and different functions.

For oolong tea: Oolong tea is the semi-fermented tea. Through the process of withering and shaking, some tea leaves have already begun to ferment. But after fixation, the tea leaves stopped fermenting again, so the most important function for oolong tea is shaping like green tea. When it is twisted into the desired shape, rolling operation could be stopped and proceed to the next processing.

We recommend use 1 set DL-6CST-30 Tea Rolling Machine, capacity 5kg per batch, for 45kg tea leaf need 1 set, working time about 1-2 hours.

Assistant
...Del Tea Machine

Tea Rolling Machine
DL-6CRT-30

Voltage : 220V 50HZ
Power : 0.55 kw
Barrel Diameter : 30 cm
Barrel Height : 21 cm
For All Kind Tea

5 kg Per Batch
10-50 kg per hour
Stainless Steel Type

L:87cm W:70cm H:100cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767



30cm Drum Smaller Cheaper SS Type Tea Leaf Rolling Machine DL-6CRT-30

Recommended Working Data	
Rotate Speed	42 rpm
Time	About 10 Minutes
Capacity	5 kg per batch

The moisture content after rolling step will not change, moisture content still 45%, total weight of tea leaf about 45kg.

5. Drying

The drying of oolong tea is usually to evaporate the moisture in the tea leaves so that the tea leaves are tightened and shaped, more compact, and the green grass flavor is exuded to enhance the aroma of oolong tea.

We recommend use 1 set DL-6HZ-5 Tea Drying Machine, capacity 15-20kg per batch, for 45kg tea leaf need 1 set, working time about 2 hours.



Assistant
...and Tea Machine

助力. 自然好帮手

**Rotary Tea Dryer
DL-6CHZ-5QB**

Voltage : 220V / 380V
Heating Power : 9kw
Tray Layers : 14 Layers
Tray Diameter : 70 cm
For All Kind Tea

15 kg Per Batch
Drying Area : 5m²
All Stainless Steel

L:91cm W:88cm H:183cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

14 Layers 70cm Tray Smaller Rotating Tea Drying Machine DL-6CHZ-5QB

Recommended Working Data	
Temperature	85°C - 95°C
Rotate Speed	6 rpm
Time	40-60 Minutes
Capacity	15-20 kg/batch

The moisture content after rolling step will drop to less than 5%, total weight of tea leaf about 25kg.

6. Sorting

In the process of making tea, due to the different size, shape and age of the collected tea, the quality of the tea produced is also different. And the tea may be broken during the production process, we need to classify different grades and different sizes. The teas are selected, and different grades of tea are sold at different prices, thus maximizing the profit of tea production.

Assistant *得力. 自然好帮手*

**Vibrating Wining Sorter
DL-6CFX-435QB**

Voltage: 220V
Power: 300 W
Grade Level: 4
For All Kind Tea Sorting

300 kg Per Hour
Vibrating & Wining
All Stainless Steel Type

L:98cm W:52cm H:119cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767



Small Type Tea Winnower Sorter Screener Machine DL-6CFX-435QB

7. Packing

For different regions and customers, we can't know everyone's different needs for packaging. For different packaging, you can visit the following links to choose your favorite packaging.

Get Quotation

The following is the summary model and required quantity of equipment recommended on this page:

Name	Model	Quantity
Tea Withering Rack	DL-TQJ-20	2
Tea Shaking Machine	DL-6CYQT-6015	1
Tea Fixing Machine	DL-6CST-50B	1
Tea Rolling Machine	DL-CRT-30	1
Tea Drying Machine	DL-6CHZ-5	1
Tea Sorting Machine	DL-6CFX-435QB	1

Contact us in the following ways to obtain the quotation of the equipment recommended on this page.



↑ ↑ Click the icon to get the quotation directly ↑ ↑
