DESCRIPTION

<u>Tea pressing machine</u> is mainly used for tea cake pressing operation.

All the parts of the machine which are the contact of the tea are made of 304 food-grade stainless steel to ensure the safety and cleanliness in the production of tea.

The machine has a manual mode and an automatic mode. to ensure that the tea cake tight, you can adjust different pressure values and pressurize time according to different tea leaves.

According to the needs of different customers, different types of molds can be customized. If you need to make other shapes of tea, please contact us.

ADVANTAGE

- 1. Integrated design, large-enclosed appearance, with moving bottom wheel, overall beautiful and practical;
- 2. The main structural steel plate of the whole machine adopts Q345B high-strength steel plate;
- 3. The parts in contact with the materials are made of stainless steel plates to ensure the sanitary compliance;
- 4. Fully automatic control system and pressure sensing device make operation easier.

SPECIFICATION

Tea Cakes Compress Machine specification list:

Model	DL-6CY2-15		
Dimensions	1200×760×1700 mm		
Voltage	380/50 V/HZ		
Pressing work stroke	≥200 mm		
Pressurization method	Hydraulic		
Number of stations	2		
Maximum pressure	≥120 kN		
Driving Power	3 kW		
Motor Speed	1400 r/min		
Rated Voltage	380 V		
Output per hour	70 Kg/h		

Specification of all of <u>Tea Cakes Compress Machine</u>.

Model	6CY1-15	6CY2-15	6CY3-15
Press type	Hydraulic Press		
Pressure	≥120 kN		
Work station	1	2	3
Capacity	35 kg/h	70 kg/h	105 kg/h

If you have special need, it can be customized according to the needs of customers.



CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



↓ ↓ You can also leave your contact information at the bottom. We usually contact you in about 10 minutes ↓ ↓