

DESCRIPTION

- The GN5800 chainsaw machine is a high performance petrol tool designed for slaughter, pruning and treatment of professional newspapers. It has a **Two -stroke engine cooTHEd by 58cc Air** with a maximum power of **2.4 kW at 8500 rpm**, offering a robust cutting efficiency for various trees of trees.
- The machine is equipped with a **Adjustable guide bar of 20 "/ 18"** And a sustainable chain, suitable for cutting through hardwood and wooded woods.

ADVANTAGE

- **High efficiency power supply system**  
The two -step engine offers rapid acceleration and high torque, ideal for demanding tasks in forestry, agriculture and landscaping. THE **rotary valve carburetor** Ensures a stable fuel power supply and easy start -up.
- **Precision and durability cut**  
Le **Spring shock absorption system** Reduces vibrations by 30%, minimizing the operator's fatigue and improving control. A set of high -hard -hated spiral spiral gears, developed with Japanese technology, ensures low noise and smooth operation.
- **Safety and user -friendly design**  
The features include a **Auto-Verrouillable butterfly lever** To avoid accidental activation, a **automatic chain oil** for coherent lubrication and **Toolless chain tension system** for quick adjustments. The machine is certified by EPA, meeting strict environmental standards.

APPLICATION

- **Forest operations**  
Suitable to slaughter the large trees and the treatment newspapers. The 20 "guide bar allows deep cuts for an effective wooden harvest.
- **Agricultural maintenance and landscaping**  
Ideal for the pruning of branches invaded by vegetation, cleaning brushes and managing orchards. Light design facilitates maneuverability in restricted spaces.
- **Emergency rescue**  
Used in the response to disasters to cut down the trees and the debris, offering rapid clearance in emergencies.

SPECIFICATION

Model	GN-5800
Dimension	500 * 260 * 295 mm
Engine	Two -strokes cooled by air monocylinder
Power	2.3 kW / 8500 rpm
Shift	58cc

Idle	2800-3200R / min
Net weight	6.65 kg
Cutting diameter	18 "(45 cm) 20" (50 cm)
Carburetor	Butterfly valve type

If you have a special need, it can be personalized according to customer needs.

## Photos




# 58cc Gasoline Chainsaw GN5800

**Engine: Single-cylinder air-cooled two-stroke**  
**Power: 2.3KW/8500rpm**  
**Displacement: 58cc**  
**Idling: 2800-3200r/min**



**Net weight: 6.65kg**  
**Cutting diameter: 18" (45cm) 20" (50cm)**  
**Carburetor: Butterfly valve type**

**L:50cm W:26cm H:29.5cm**

**QUANZHOU DELI AGROFORESTRAL MACHINERY CO. LTD**  
**12# DONGXING RD, ANXI COUNTY, FUJIAN PROVINCE, CHINA**







## CONTACT

**If you are interested in this product, please contact us for the price.**



**↑ ↑ Click on the icon to get the last price directly ↑ ↑ ↑**

---





Quanzhou Deli Agroforestry Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact details at the bottom. We usually contact you in about 10 minutes ↓ ↓