

## DESCRIPTION

Tea [Tea Leaf Roller Machine](#) can use for most of tea such as black tea, green tea, and oolong tea, for green tea ( non-fermented ) is mainly used for shaping the strip type, for black tea ( fermented tea ) is mainly used to destroy the cells of fresh tea leaves, so that the juice in tea can flow out and facilitate subsequent fermentation.

Through the external force of the tea roller machine, the tea leaf's juice overflows, the tea cells are damaged, fresh tea leaf is twisted and curled into a strip shape, the juice in the fresh tea leaves is squeezed out. When brewing, the taste is stronger, the color of the tea soup is brighter and the quality of the tea is better.

## ADVANTAGE

1. Rolling barrel made of stainless steel, rolling plate, and rolling strip made of aluminum, It will not rust and produce no harmful substances to the human body.
2. Professional design of kneading plate tilt angle and kneading strip radian, the speed of forming tea is 30% faster.
3. The side is higher than the plate, prevents tea leaves falling from the tea rolling machine.
4. we also can customize all stainless steel type and all copper type, if you need, please let us know.
5. Professional design of kneading plate tilt angle and kneading strip radian, the speed of forming tea is 30% faster.

## EXPLODED VIEW



## APPLICATION

Type Of Tea

## Working Time

|            |               |
|------------|---------------|
| Black Tea  | 30-90 minutes |
| Green Tea  | 4-6 minutes   |
| Oolong Tea | 4-6 minutes   |
| Herbal Tea | 4-6 minutes   |

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

## SPECIFICATION

[Tea Leaf Roller Machine](#) specification list:

|                        |               |                 |
|------------------------|---------------|-----------------|
| Model                  |               | DL-6CRT-35      |
| Dimension              |               | 820*900*1260 mm |
| Input voltage          |               | 220V / 50Hz     |
| Tea disc diameter      |               | 720 mm          |
| Barrel diameter        |               | 350 mm          |
| Barrel height          |               | 260 mm          |
| Matching motor         | Power         | 1.1 kW          |
|                        | Speed         | 1400 RPM        |
|                        | Rated voltage | 220 V           |
| Barrel speed           |               | 42 RPM          |
| Weight                 |               | 145 Kg          |
| Max capacity per batch |               | 8 kg/batch      |
| Capacity for green tea |               | 8-80 kg/h       |
| Capacity for black tea |               | 8-16 kg/h       |

Specification of all of [Tea Leaf Roller Machine](#).

| Model   | Barrel Diameter | Barrel Height | Capacity    |
|---------|-----------------|---------------|-------------|
| 6CRT-25 | 25 cm           | 18 cm         | 3 kg/batch  |
| 6CRT-30 | 30 cm           | 21 cm         | 5 kg/batch  |
| 6CRT-35 | 35 cm           | 26 cm         | 8 kg/batch  |
| 6CRT-40 | 40 cm           | 25 cm         | 11 kg/batch |
| 6CRT-45 | 45 cm           | 28 cm         | 15 kg/batch |
| 6CRT-50 | 50 cm           | 28 cm         | 20 kg/batch |
| 6CRT-55 | 55 cm           | 40 cm         | 35 kg/batch |
| 6CRT-65 | 65 cm           | 48 cm         | 60 kg/batch |

If you have special need, it can be customized according to the needs of customers.

## DETAILS



DL-6CRT-35 tea roller table's barrel made of SS304, barrel diameter 35cm, height 26cm, capacity about 8 kg per batch.

For green tea rolling time need about 4-6 minutes, capacity about 8-80 kg per hour.

For black tea rolling time need about 30-90 minutes, capacity about 8-16 kg per hour.



The unique design of rolling disc and rolling bar inclination angle, the speed is increased by 30% compared with other companies.





The heightened design of the rolling barrel can prevent the tea leaves from falling.



The unique design of the cover of the small and middle rolling machine can be rotated to improve the rate of strip-type tea.

## PHOTOS



力. 11582203767

## Tea Rolling Machine DL-6CRT-35

Voltage: 220V 50HZ

Power: 1.1 kw

Barrel Diameter: 35 cm

Barrel Height: 26 cm

For All Kind Tea

8 kg Per Batch

16-80 kg per hour

Stainless Steel Type



**L:82cm W:90cm H:126cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767











## CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓