

## DESCRIPTION

The automatic heat shrink packaging machine for plastic film packaging and sealing is a highly efficient packaging equipment designed to meet the diverse packaging needs of various industries. It uses plastic film to tightly wrap products and then applies heat to shrink the film, ensuring a secure and aesthetically pleasing packaging.

## ADVANTAGE

- 1.High efficiency: With automatic operation, it can quickly package a large number of products, greatly improving production efficiency.
- 2.Tight sealing: Ensures a reliable seal, protecting products from dust, moisture, and other contaminants.
- 3.Versatility: Suitable for packaging a wide range of products of different shapes and sizes. It can handle items such as bottles, cans, boxes, and irregularly shaped products.
- 4.Aesthetic appearance: The shrunk film gives the packaged products a neat and professional look.
- 5.Easy to operate: User-friendly interface and simple operation procedures make it easy for operators to use.
- 6.Durable construction: Made of high-quality materials, it is durable and has a long service life.
- 7.Energy-saving: Optimized design to minimize energy consumption.
- 8.Stable performance: Reliable performance ensures consistent packaging quality.
- 9.Wide packaging range: Can accommodate products of various dimensions, from small items to large packages, providing flexibility for different production requirements.

## APPLICATION

## Secure and stylish plastic film packaging for every product.



This plastic film packaging sample can encapsulate products of various shapes, including books, aluminum cans, cartons, and iron boxes, providing comprehensive protection and an elegant appearance.

### SPECIFICATION

Horizontal shrink wrap machine specification list:

Model	DL-450L&DL-BSB-4020
Dimension	1630 * 900 * 1470mm & 1960*720*1350mm
Voltage	220V 50/60HZ & 380V 50/60HZ
Overall weight	500KG
Packaging speed	15-30 pags/min
Conveying speed	0-10m/min
Maximum packaging size	L(length)+H<500MM
	W(width)+H<400mm
Opening height	<150mm
Air pressure	0.5MPA

If you have special need, it can be customized according to the needs of customers.



力. 11558202

## Automatic shrink wrap machine DL-BSB-4020&DL-450L



Shrink film: POF/PE/PVC

Bag Length: <500 mm

Bag Width: <400 mm

**1630\*900\*1470 mm & 1960\*720\*1350mm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767







全自动封切机 AUTO L-BAR SEALER



电源  
POWER



手动  
HAND

自动  
AUTO



纵封温度  
Y TEMP



横封温度  
H TEMP



封切时间  
SAC TIME



行程设定  
SAC DELAY-T



计数器  
COUNTER



总电源  
TOTAL POWER SWITCH



热风开关  
HOT WIND SWITCH



加热开关  
HEATING SWITCH



输送开关  
CARRY SWITCH



输送调节  
CARRY ADJUST



温度控制  
TEMPERATURE CONTROL









 **Assistant**  
www.delijx.com — Deli Tea Machine





## CONTACT

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓