

## DESCRIPTION

The Nylon Triangle Pyramids Tea Bag Packaging Machine with Outer Bag is a standout in the tea packaging field. Suited for various teas like black, green, oolong, herbal and flower tea. It makes unique triangle pyramid nylon tea bags with a square rubber outer bag for protection and appeal. Packaging speed is 2000 - 4500 bags/min. Innovation lies in precise control and stability. Advanced tech integrates inner and outer bags seamlessly. High-quality materials and sophisticated structure ensure durability. A great choice for tea makers seeking quality and innovation.


## ADVANTAGE

- 1.The machine can autonomously carry out the entire process from feeding, forming the **pyramid inner bag**, creating the **outer bag**, **measuring the product**, **filling**, **sealing**, and **cutting**.
2. With an **ultrasonic sealing system**, it achieves superior **flat bag** or **triangle bag** forming effects.
3. Users can choose the feeding method and easily adjust weighing sizes by modifying parameter settings on the touch screen.
4. Equipped with an **HMI** and **PLC control system**, the machine operates smoothly and is user-friendly.

## APPLICATION

- 1.The triangular tea bag packaging machine can package triangular/pyramid tea bags, or adjust to square tea bags, and the outer bag can use prefabricated square outer bags.
- 2.One hour can pack **600-1800** bags.
- 3.This machine can package nylon tea bags and corn fiber bags, and uses ultrasonic sealing. The bags will not be damaged and will not produce harmful substances.
- 4.Can package various types of tea, including oolong tea, green tea, black tea, herbal tea, etc., with inner and outer bags formed in one go.

## DETAILS



		Binary weighing Diamond Bag Roll Film Control panel Main switch button				Disposer Ultrasonic machine Roll conveyor Pre-made bag filling sealing machine
--	--	---	--	--	--	---

## SPECIFICATION

Nylon Triangle Pyramids Tea Bag Packaging Machine specification list:

Model	DL-GDS-SJB
Dimension	182*280*224 cm
Operating Voltage&Power	AC 220V 50/60Hz 3KW
Packaging rate	15-30 bags/min
Scale quantity	4/6 pcs
Weight range	1-15 gram
Bag roll diameter	40 cm
Tea bag width	5/6/7 cm

Air source pressure	0.6 Mpa
---------------------	---------


If you have special need, it can be customized according to the needs of customers.

## PHOTOS















## CONTACT

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**





Quanzhou Deli Agroforestry Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓