

DESCRIPTION

Halogen Rapid Moisture Analyzer is mainly used to measure the water content of tea and other foods, with an accuracy of 0.01%. The moisture meter is small in size and fast in measurement, which is suitable for various tea plants.

ADVANTAGE

Maximum weighing range: 120g
Digital display error value: 0.005g
Readability error: 0.01%
Heating temperature: 40-200 °C

SPECIFICATION

Tea Moisture Meter specification list:

Model Number	DL-SFY-120
Max Capacity	120g
Display index value	0.005g
Readability	0.01%
Heating source	Ring-shaped halogen lamp
Heating temperature range	40-200°C
Weight calibration	100g
Pan size	Φ90mm
Sensor	Electromagnetic force sensor
Display	LCD
Heating procedure	Standard heating, Rapid heating, Step heating
Power-off mode	Time-off, Auto-off, Manual-off
Heating time range	1-99 minutes
External dimension	310*205*200mm



力. 115820033767

Tea Moisture Meter DL-SFY-120

Screen : LCD
Pan Size : 90mm
Max Capacity : 120g



Display : 0.005g
Readability : 0.01%
Temp Range : 40-200°C

L:31cm W:21cm H:20cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

PHOTOS











深圳良辰实验仪器有限公司
仪器型号: LK-120A 称量精度: 0.001g
最大称量: 120g 称量范围: 0.01g
最大容量: 120g 工作电压: AC220V 50Hz

HALOGEN RAPID MOISTURE TESTER

Max= 120g
d= 5mg

06:20 AUTO

105°C



78.02 %MC



开始/增加
Start/Up



清零/减少
Zero/Down



停止/关机
Stop/Off







CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓