

DESCRIPTION

Halogen Rapid Moisture Analyzer is mainly used to measure the water content of tea and other foods, with an accuracy of 0.01%. The moisture meter is small in size and fast in measurement, which is suitable for various tea plants.

ADVANTAGE

Maximum weighing range: 120g
Digital display error value: 0.005g
Readability error: 0.01%
Heating temperature: 40-200 °C

SPECIFICATION

Tea Moisture Meter specification list:

Model Number	DL-SFY-120
Max Capacity	120g
Display index value	0.005g
Readability	0.01%
Heating source	Ring-shaped halogen lamp
Heating temperature range	40-200°C
Weight calibration	100g
Pan size	Φ90mm
Sensor	Electromagnetic force sensor
Display	LCD
Heating procedure	Standard heating, Rapid heating, Step heating
Power-off mode	Time-off, Auto-off, Manual-off
Heating time range	1-99 minutes
External dimension	310*205*200mm











深圳奥达实验仪器有限公司
仪器型号: SN-120A 称量精度: 0.001g
最大称量: 120g 称量精度: 0.01%
最大容量: 1000ml 工作电压: AC220V 50Hz

HALOGEN RAPID MOISTURE TESTER

Max= 120g 06:20 AUTO 105°C
d= 5mg OK



78.02 %MC

温度/℃
时间/Time
%/g
单位切换/Unit

▶ → 0/T ← ||

开始/增加 Start/Up 清零/减少 Tare/Down 停止/关机 Stop/Off

回家/Home
打印/Print





CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓