DESCRIPTION

Tea molding machine is mainly used for pressing and molding of various granular (pearl-shaped) tea leaves, such as oolong tea (Tieguanyin), lotus leaf tea, mulberry leaf tea, and other herbal teas.

The tea leaves are easy to stock and the internal fragrance is not easily lost.

ADVANTAGE

- 1. Integrated design, large-enclosed appearance, with moving bottom wheel, overall beautiful and practical
- 2. The main structural steel plate of the whole machine adopts Q345B high strength steel plate.
- 3. The contact part with the material is made of 2mm 304 stainless steel plate to ensure the sanitary standard.
- 4. Unique inner cavity size design makes the material forming speed faster and improves work efficiency
- 5. The cover plate has a bolt to ensure that the support structure of the clamshell cylinder is not stressed when the cover is stressed, and the main structure is prevented from being damaged.
- 6. The pressure control of the double flow channel makes the adjustment of the pressure easy and convenient.
- 7. Fully automatic control system and pressure sensing device make operation easier
- 8. Phase sequence protection is adopted, and the motor protection is in place when the phase is missing.

SPECIFICATION

Granular Tea Molding Machine specification list:

Model	6CCXJ-6080
Dimensions	1760×1870×1600 mm
Inner cavity size	800×600×250 mm
Minimum size of material molding	300×100×250 mm
Pressurization method	Hydraulic
Maximum pressure	16 MPa
Driving power	5.5 kW
Motor speed	1400 r/min
Rated Voltage	380 V

If you have special need, it can be customized according to the needs of customers.


PHOTOS



CONTACT

If you are interested in this product, please contact us to get the price.





↓ ↓ You can also leave your contact information at the bottom. We usually contact you in about 10 minutes ↓ ↓