DESCRIPTION

The deblocking and sieving machine is mainly a supporting device for producing pearl tea (granular tea).

After shaping processing, the tea leaves will form a lump. At this time, the deblocking and sieving machine is required to break up it. At the same time, hot air can be blown in to dry the tea for the first time, which is convenient for the shaping of the tea.

This machine is usually used together with pearl tea (granular tea) molding equipment, which has the advantages of low noise and stable operation.

ADVANTAGE

1. With return shock absorber lever, easy to operate and low noise;

2. With a return lock device, to eliminate the problem that the head and tail are easily dropped when feeding;

- 3. Simple structure and beautiful appearance;
- 4. Optional hot air electric furnace, convenient to dry the tea leaves while drying the sponge.

SPECIFICATION

Tea Deblock And Sieving Machine specification list:

Model		DL-6CSST-100R
Voltage		380V 50HZ
Dimensions(L*W*H)		1750×1450×1570 mm
Diameter of inner barrel		1000 mm
Straight length of inner barrel		1000 mm
Electric motor	power	0.75 kW
	Rotating speed	1400 r/min
	Rated voltage	380 V
Total heating power		18 kW
Speed of barrel		36 r/min
Diameter of sieve		2.5 mm

If you have special need, it can be customized according to the needs of customers.

PHOTOS



Tea Deblocking Machine DL-6CSST-100R

Voltage : 380V 50HZ Heating Power : 18 kw Drum Diameter : 100cm Sive Hole Size : 2/2.5/3/5/6 mm

With Hot Air Blowing
Screen out Tea Powder
Primary Drying FunctionImage: Comparison Comp


Website: <u>delijx.com</u> Email: <u>info@delijx.com</u> WhatsApp/ WeChat/ Tel: <u>0086-18120033767</u>

CONTACT

If you are interested in this product, please contact us to get the price.



 \uparrow \uparrow Click the icon to get the latest price directly \uparrow \uparrow



↓ ↓ You can also leave your contact information at the bottom. We usually contact you in about 10 minutes ↓ ↓