

DESCRIPTION

[The screening machine](#) is equipped with 2 mesh plates and 3 discharge ports, and the tea leaves of different lengths are screened out by vibration.

The tea to be processed directly enters the sieve plate, and the vibration of the sieve bed stimulates the tea to spread the sieve bed at all times, and is separated according to its own size in the climbing a. Sliding in one layer, two-layer, three-layer sorting plate, through the hopper of each layer to complete the classification operation.


SPECIFICATION

[Tea Leaf Grading Machine](#) specification list:

Model	DL-6CDS-100-3
Voltage	220V 50Hz
Working type	Reciprocating
Size	1400*650*1050mm
Outlet number	3
Sieve plate number	3 pcs
Sieve plate size	900*450 mm
Motor power	0.18 kw

If you have special need, it can be customized according to the needs of customers.

PHOTOS



S-100-3

20V 50HZ
Power: 0.18 kw

Quantity : 2 pcs
90x45 cm

2-12 mm

Plate Quantity : 2 pcs
Plate Size : 90×45 cm

Sieve Size: 2-12 mm
Outlet Number : 3 pcs

L:140cm W:65cm H:105cm

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓