

## DESCRIPTION

The circular vibrating screening machine is the latest and most advanced screening equipment in the world. It integrates plane screening, swing screening, rolling screening and vibration screening. Suitable for liquid and non-liquid filtration in all walks of life.

This machine makes the screen move three-dimensionally through the up and down excitation force of the vibrating motor, forcing the material to move forward in a spiral jumping shape, and finally discharge from the discharge port.

The material with a minimum diameter of 0.025mm can be screened out, and 1-5 layers of screens can be optionally installed to sort or filter materials of 2-6 grades.

## ADVANTAGE

1. Wide screening range, the minimum screen size is 0.028mm;
2. Fully enclosed structure, material does not fly, and liquid does not leak;
3. The grid structure has no dead angle, and the discharge port can be adjusted 360 degrees;
4. With vibrating ball, no material blocking, high screening efficiency;
4. The screen mesh is easy to replace and easy to operate.

## SPECIFICATION

Circular vibrating screen separator specification list:

Model	DL-6CZDS-60
Volatage	220V 50/60Hz
Power	0.55kw
Diameter	600mm
Sieve Diameter	530mm
Sieve Area	0.22 m <sup>2</sup>
Materials Max Diameter	□10mm
Mesh Size	2-325#
Layers	1-5 layers
Vibration frequency	1500 rpm

Specification of all of all circular motion vibrating screener

Model	Diameter	Sieve Area	Mesh Size	Layers
DL-6CZDS-45	45cm	0.09 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-60	60cm	0.22 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-80	80cm	0.4 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-100	100cm	0.63 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-120	120cm	0.95 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-150	150cm	1.5 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-180	180cm	2.3 m <sup>2</sup>	2-325 #	1-5
DL-6CZDS-200	200cm	2.86 m <sup>2</sup>	2-325 #	1-5

If you have special need, it can be customized according to the needs of customers.

## PHOTOS















1. 力. 115820033767

## Vibrating Screen Sorter DL-6CZDS-60

Voltage : 220V  
Power : 0.55kw  
Layers : 1-5 pcs  
Mesh Size : 0.028-10mm  
Sieve Diameter : 60cm



All Stainless Steel  
With 12 pcs springs

**L:80cm W:70cm H:80cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767

### CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑