

## DESCRIPTION

[The tea mixing and flavoring machine](#) is mainly used for mixing and blending operations of CTC tea, herbal tea, traditional tea, blended tea, etc. At the same time, it can spray atomized liquid into the machine, which can greatly mix the internal materials evenly.

The machine can be set with timing spray function and intermittent spray function to meet different mixing standards for different materials.

With time control function and cover sealing function, even if the inside is powdery material, it will not leak out and cause pollution to the environment.

The residual pressure recovery device is used to stop spraying immediately after stopping spraying, and the residual pressure will automatically return to the water tank to avoid excessive spraying.

## ADVANTAGE

1. Electromagnetic door stopper to ensure that the door can be sealed to prevent dusty materials from escaping;
2. The whole machine is made of 304 food grade stainless steel, which is sturdy and durable;
3. Adopting a full-enclosing structure, which increases the aesthetics;
4. Water washing function can be used to facilitate cleaning and maintenance;
5. The bottom has a water collection function to prevent water from flowing directly to the ground;
6. With timing function, it will automatically alarm when the time is up.

## APPLICATION

[Tea sprayer mixer](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

| Type Of Tea | Working Time |
|-------------|--------------|
| Black Tea   | 2-10 Minutes |
| Green Tea   | 2-10 Minutes |
| White Tea   | 2-10 Minutes |
| Oolong Tea  | 2-10 Minutes |
| CTC Tea     | 2-10 Minutes |
| Herbal Tea  | 2-10 Minutes |

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

## SPECIFICATION

[Tea sprayer blender mixer](#) specification list:



1. 动力 1.5kw

## Tea Spray Mixer DL-6CJB-300

Voltage: 220V 50HZ  
Power: 1500 W  
For All Kind Tea



Mix Volume : 0.3 m<sup>3</sup>  
With Spraying Funtion  
Fully Automatic Control

**L:115cm W:110cm H:150cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
WhatsApp/ WeChat/ Tel: 0086-18120033767

|                         |         |                    |
|-------------------------|---------|--------------------|
| Model                   |         | DL-6CJB-300        |
| Size                    |         | 115×110×150cm      |
| Voltage                 |         | 220V 50/60HZ       |
| Total Power             |         | 1500W              |
| Drum Diameter           |         | 60cm               |
| Drum Length             |         | 60cm               |
| Drive Motor             | Voltage | 220V 50/60HZ       |
|                         | Power   | 1.1kw              |
|                         | Speed   | 1400rpm            |
| Speed regulation        |         | VFD control        |
| Spray function          |         | Yes                |
| Materials               |         | SS 304             |
| Effective Mixing Volume |         | 0.3 m <sup>3</sup> |

If you have special need, it can be customized according to the needs of customers.

## PHOTOS























## CONTACT

**If you are interested in this product, please contact us to get the price.**



**↑ ↑ Click the icon to get the latest price directly ↑ ↑**



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓