

DESCRIPTION

The [hot air tea shaking machine](#) is one of the important equipments for producing high-end oolong tea. The drum is punched with galvanized sheet, which is beautiful and elegant. You can also choose all stainless steel sheet, which is more hygienic and environmentally friendly. With the highly integrated intelligent control panel, roasting speed, temperature, processing time etc can be adjusted. You could choose electric heating or wood or charcoal heating. Through the rotation of the machine and heating, the moisture in the tea can be evenly distributed, and at the same time, the fermentation can be slowly made to make the finished tea taste more fragrant.

With the heating furnace, different wood or charcoal can be used to make the tea with different wood flavors. And the flavor of the finished tea is unique! It is different from ordinary traditional tea.

ADVANTAGE

1. Using galvanized punching sheet metal, the appearance is flat and beautiful;
2. Using automatic temperature control, main fan timing, drive timing;
3. All use electric heating, and give a cast iron stove basin, which is sturdy and durable.

APPLICATION

[Wood And Coal Heating Tea Leaf Wither Machine](#) is suitable for processing oolong tea, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Oolong Tea	Total 5-6 Hours

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION


[Wood And Coal Heating Tea Leaf Wither Machine](#) specification list:

Model		DL-6CZQ-110T
Dimensions		3760×1120×1450 mm
Voltage		380V 50HZ
Total heating power		12 kW
Fast and slow drum drive motor 2 sets	Power	2.2 kW
	Speed	1400 r/min
	Voltage	380 V
Fan power	Power	1.5 kW
	Speed	1400 r/min
	Voltage	380 V

Working speed of roller	15-30 r/min
Inner diameter of roller	1100 mm
Length of roller	3000 mm
Output	350 Kg/time

If you have special need, it can be customized according to the needs of customers.


DETAILS



This machine can be heated by electricity or charcoal, If charcoal is used for heating, tea can absorb the taste of charcoal. If charcoal with fragrance is selected, the flavor of tea will be very unique.



The internal support frame increases the structural strength of the machine and reduces the vibration during use.



The optimum mesh size obtained by many experiments, the broken tea and tea dusts were screened out during oolong tea shaking process.

PHOTOS

Assistant
...Oolong Tea Machine

力. 1052205

Hot Air Oolong Tea Drum DL-6CZQ-110



**Electric/Wood Heating
With Hot Air Blow System
For Oolong Tea Shaking**

Drum Size : D110 X L300

Website: delijx.com Email: info@delijx.com
WhatsApp/ WeChat/ Tel: 0086-18120033767



電話 1340521146







泉州得力农林机械有限公司

茶叶综合做青机

主机定时



风机定时



温控指示



电源指示



加热指示



自动



手动

快



慢

正



反

正



反

自动



手动

开



关

二组



三组

加热

地址：安溪县城厢镇德苑工贸园冬兴小区（冬青场）
企业网址：Http://www.delijx.com

电话：0595-23142888
传真：0595-23142999



CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestrial Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : info@delijx.com

Web: www.delijx.com

↓ ↓ You can also leave your contact information at the bottom.
We usually contact you in about 10 minutes ↓ ↓