

## DESCRIPTION

Firewood/coal Continuous [Tea Machine Enzymatic Machine](#) is mainly used for batch production of green tea, oolong tea, herbal tea, Ivan tea and so on.

It has the advantages of controllable temperature, high production efficiency and low labor cost.

This green fixation uses firewood and coal for heating, easy to obtain fuel, and low fuel cost. It is an ideal device for making tea in a tea garden in a mountainous area.

The inner wall of the machine is made of a 3.5mm thick steel plate with a hot air circulation device. The internal temperature of the machine is small, the heat loss is small, the tea is more uniform, the color is beautiful, and the flavor is sufficient. It is the ideal equipment for mass production of high-quality tea.

## ADVANTAGE

1. Excellent heat insulation, heat preservation and energy saving;
2. Use a controlled water vapor discharge system to save energy.
3. The inner barrel uses a new type of environmentally friendly fireproof insulation material, thickness up to 20mm, greatly reduces heat loss and saves energy by 30%.
4. The inner cylinder adopts 3.5mm thick steel plate to prevent the deformation of the cylinder body at high temperature, the work can store energy, the heat loss is less, the temperature change is smaller, and the energy is more energy-saving;
5. When tea fixation, the speed of the machine can be adjusted, according to the tea of different producing areas, different speed can be adjusted.

## APPLICATION

[Tea Machine Enzymatic Machine](#) is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

Type Of Tea	Working Time
Green Tea	4-6 Minutes
Oolong Tea	4-6 Minutes
Herbal Tea	4-6 Minutes

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

## SPECIFICATION

力. 10582003767

# Continuous Tea Fixing Machine

## DL-6CSTL-CM80

**Voltage : 380V 50HZ**  
**Heating Type: Wood**  
**Barrel Diameter: 80 cm**  
**Barrel Length : 400 cm**  
**For Green/Oolong Tea**

**Wood/Diesel Heating**  
**Capacity 200 kg / h**  
**5 mm Steel Board**



**L:520cm W:120cm H:261cm**

Website: [delijx.com](http://delijx.com) Email: [info@delijx.com](mailto:info@delijx.com)  
 WhatsApp/ WeChat/ Tel: 0086-18120033767

[Tea Machine Enzymatic Machine](#) specification list:

Model		DL-6CSTL-CM80
Dimension		1200×5200×2610 mm
Voltage		380/50 V/Hz
Drum inner diameter		800 mm
Drum inner length		4000 mm
Drive motor	Power	2.2 KW
	Speed	1400 rpm
	Voltage	380 V
Air exhausting motor	Power	370 W
	Speed	1400
	Voltage	380 V

Drum speed	5-37 min
Heating type	Wood and coal
Efficiency	200 kg/h

Specification of all of [Tea Machine Enzymatic Machine](#).

Model	6CSTL-CM60	6CSTL-CM80	6CSTL-CM100
Drum Diameter	60 cm	80 cm	100 cm
Drum Length	300 cm	400 cm	480 cm
Capacity	100 kg/h	200 kg/h	400 kg/h

If you have special need, it can be customized according to the needs of customers.

## PHOTOS







[DELIJX.COM](http://DELIJX.COM)

## CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



Quanzhou Deli Agroforestril Machinery Co., Ltd.

12# Dongqing Road, Chengxiang Town,

Anxi County, Quanzhou, Fujian, China (Mainland)

WhatsApp / WeChat: 0086-18120033767

Email : [info@delijx.com](mailto:info@delijx.com)

Web: [www.delijx.com](http://www.delijx.com)

---

↓ ↓ You can also leave your contact information at the bottom.  
We usually contact you in about 10 minutes ↓ ↓