DESCRIPTION

This kind of <u>tea fixation roasting machine</u> is suitable for the fixation and drying of various types of tea. One machine can be used for two purposes. After processing by this machine, the tea leaves have bright colors, rich aromas, and tight.

This machine uses wood coal heating, which can choose wood coal or pellet fuel for heating. The material cost is low and easy to obtain. It is suitable for use in tea gardens in remote areas. With a 6mm thick steel plate, the temperature is stable and small the heat loss. Uniform, same quality, more scent!

APPLICATION

<u>Tea Roasting Drying Machine</u> is suitable for processing black / green / oolong / white / dark / herbal tea, the following is the working time required for the above tea production.

| Type Of Tea | Fixation Time | Drying Time |
|-------------|---------------|---------------|
| Black Tea | 1 | 15-30 Minutes |
| Green Tea | 4-6 Minutes | 15-30 Minutes |
| Oolong Tea | 4-6 Minutes | 15-30 Minutes |
| Herbal Tea | 4-6 Minutes | 15-30 Minutes |

The above data is for reference only, and the specific processing time shall be determined according to the actual situation.

SPECIFICATION



Tea Roasting Drying Machine specification list:

| Mo | del | DL-6CSTP-CM90 | |
|---------------------|---------|------------------|--|
| Dime | nsion | 2100×1100×1840mm | |
| Voltage | | 220V / 380V | |
| Inner drum diameter | | 900 mm | |
| Inner drum length | | 1000 mm | |
| Drive motor | Power | 0.75 kw | |
| | Speed | 1400 rpm | |
| | Voltage | 220V / 380V | |
| Exhaust motor | Power | 0.18 kw | |
| | Speed | 1400 rpm | |
| | Voltage | 220V / 380V | |

| | Power | 0.15 kw | |
|--------------|---------|-------------|--|
| Blower motor | Speed | 2800 rpm | |
| | Voltage | 220 V | |
| Drum speed | | 5-37 rpm | |
| Heating type | | Wood / Coal | |
| Effici | ency | 80 kg/h | |


Specification of all of $\underline{\text{Tea Roasting Drying Machine}}$

| Model | 6CSTP-CM90 | 6CSTP-CM110 |
|---------------|------------|-------------|
| Drum Diameter | 90 cm | 110 cm |
| Drum Length | 100 cm | 100 cm |
| Capacity | 80 kg/h | 100 kg/h |

If you have special need, it can be customized according to the needs of customers.

PHOTOS










CONTACT

If you are interested in this product, please contact us to get the price.



↑ ↑ Click the icon to get the latest price directly ↑ ↑



↓ ↓ You can also leave your contact information at the bottom. We usually contact you in about 10 minutes ↓ ↓